# HT1080-Fluc-Puro



## **Product Description**

Product Name: HT1080-Fluc-Puro

Catalog Number: CL076 Lot Number: CL-IM199

Species: Human (*Homo sapiens*)
Tissue: Connective tissue
Cell type: Fibrosarcoma

Parental cells: HT1080 (ATCC® CCL-121TM)\*

Morphology: Epithelial Growth mode: Adherent

Reporter gene: Firefly luciferase (Fluc)
Selection gene: Puromycin (Puro)

This is a polyclonal population derived from the fibrosarcoma HT1080 cell line (ATCC® CCL-121<sup>TM</sup>). Parental HT1080 cells were transduced with LV-Luc2-P2A-Puro (Imanis #LV012) encoding the firefly luciferase (Fluc) cDNA under the spleen focus-forming virus (SFFV) promoter linked to the puromycin resistance gene (Puro) via a P2A cleavage peptide. High Fluc expressing cells were selected using puromycin. The lentiviral vectors are self-inactivating (SIN) vectors in which the viral enhancer and promoter have been deleted. Transcription inactivation of the LTR in the SIN provirus increases biosafety by preventing mobilization by replication competent viruses and enables regulated expression of the genes from the internal promoters without *cis*-acting effects of the LTR<sup>1</sup>.

## **Mycoplasma Testing**

This cell line has tested negative for mycoplasma contamination.

### **Cell line Authentication**

Authentication of the parental HT1080 cell line was confirmed by short tandem repeat (STR) profiling.

#### **Recommended Uses**

These cells are suitable for *in vitro* and *in vivo* experimentation.

The Fluc transgene facilitates *in vivo* noninvasive bioluminescent imaging of implanted cells.

Fluc is immunogenic and may cause tumor rejection in immunocompetent mice. For the most consistent results, immunocompromised mice are recommended for studies.

### References

<sup>1</sup>Miyoshi et al. J Virol. 1998. 72:8150-8157.

## **Storage Instructions**

Remove cells from the dry ice packaging and immediately store in the vapor phase above liquid nitrogen (below -130°C).

#### **Complete Growth Medium**

Dulbecco's Modified Eagle's Medium (DMEM) 10% fetal bovine serum (FBS) 1% Penicillin/Streptomycin 1 µg/mL puromycin

Puromycin should <u>NOT</u> be added to the medium until a culture has been well established from the thawed cells (about 1 week). It is also recommended that a backup frozen cell stock be generated (see below) before adding puromycin to the growth medium.

Caution! Typical commercial puromycin stocks are provided at a concentration of 10 mg/mL or 10,000X.

## **Thawing Instructions**

- 1. Thaw cells by gently swirling in a 37°C water bath. To limit contamination, do not submerge the O-ring and cap.
- 2. When cells are ~70% thawed (~1 min), remove the vial and wipe down with 70% ethanol. Allow tube to dry completely.
- In a biosafety cabinet, transfer the cells into a 15 mL conical tube containing 5 mL of pre-warmed complete growth medium. Centrifuge cells at ~250 x g for 3-5 min.
- Remove supernatant and resuspend cells in 1 mL complete growth medium. Transfer cells to a T75 flask containing 10 mL pre-warmed complete growth medium.
- 5. Incubate the culture at 37°C with 5% CO<sub>2</sub>. Cells should reach full confluency 1-2 days after thawing.

### **Subculturing Instructions**

Volumes are given for a T75 flask; increase or decrease as needed.

- 1. Remove culture medium from cells.
- Carefully wash the cell monolayer with 5-10 mL of phosphate buffered saline.
- 3. Add 2 mL of 0.25% Trypsin-EDTA solution to the flask and incubate at room temperature until cells have dissociated (approx. 2-5 min).
- 4. Neutralize the trypsin by adding 8 mL complete growth medium, and mix by gently pipetting up and down.
- Transfer desired portion of the cells to a fresh T75 flask. Add fresh complete growth medium to a total volume of 10 mL and return cells to 37°C/5% CO<sub>2</sub> incubator.

For maintenance a subcultivation ratio of 1:10 is recommended. At this ratio cells will be ready for passage every 3-4 days.

## **Freezing Medium**

HT1080-Fluc-Puro cells can be amplified and used to generate additional frozen stocks. Frozen stocks should be preserved in a designated cryopreservation medium or in complete growth medium without puromycin supplemented with 5-10% DMSO.

### **Additional Considerations**

HT1080-Fluc-Puro cells detach from tissue culture surfaces upon repeated washing. Coating culture plates with poly-D-Lysine prior to use can increase cell adherence to the plates during experiments requiring repeated washes or media changes.

<sup>\*</sup> The ATCC trademark and any and all ATCC catalog numbers are trademarks of the American Type Culture Collection

# HT1080-Fluc-Puro




### **Certificate of Analysis**

Testing performed by Imanis Life Sciences

Test description	Result
Post thaw viable cell recovery	100%
Sterility	No contamination detected
Mycoplasma	No contamination detected
Puromycin selection	Pass QC
Luciferase expression	Pass QC
Average doubling time	17.7 hours*


<sup>\*</sup>Doubling time represents the average doubling time during logarithmic growth. This value should be used for general estimation only.

## Morphology:



Low and high density photos taken 24 and 72 hours after thawing, respectively.

## **Luciferase Expression**



The indicated number of cells were placed in wells of a 96-well plate. After the addition of 3 mg/mL d-luciferin, the plate was immediately imaged using an IVIS Spectrum. The total flux (photons/sec) was plotted as a function of cell number.

## **Legal Disclaimers**

LIMITED PRODUCT WARRANTY
THIS WARRANTY LIMITS OUR LIABILITY TO REPLACEMENT OF THIS PRODUCT. NO OTHER WARRANTIES OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR
A PARTICULAR PURPOSE, ARE PROVIDED BY IMANIS. IMANIS SHALL HAVE NO LIABILITY FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, OR INCIDENTAL DAMAGES ARISING OUT OF THE USE, THE RESULTS OF USE, OR THE INABILITY TO USE THIS PRODUCT.

FOR IN VITRO USE ONLY. THIS CERTIFICATE IS A DECLARATION OF ANALYSIS AT THE TIME OF MANUFACTURE.

#### PURCHASER NOTIFICATION

LIMITED LICENSE NOTICE - RESEARCH USE ONLY

IMANIS LIFE SCIENCES HAS A LIMTED LICENSE UNDER PATENTS OWNED BY THE SALK INSTITUTE FOR BIOLOGICAL STUDIES THAT PERMITS IMANIS LIFE SCIENCES TO SELL PRODUCTS CONTAINING WRRE FOR RESEARCH USE ONLY AND NOT FOR ANY COMMERCIAL USES. EXCLUDED COMMERCIAL USES INCLUDE WITHOUT LIMITATION MANUFACTURING, PROVIDING A SERVICE, THERAPEUTIC, DIAGNOSTIC AND PROPHYLACTIC USES, AND ANY OTHER COMMERCIAL USES. USE OF THIS PRODUCT BY A PURCHASER FOR ANY PURPOSE OTHER THAN FOR RESEARCH IS UNAUTHORIZED AND PROHIBITED.

THE IMANIS CELL LINES ARE NOT INTENDED FOR USE IN HUMANS. CELL LINES TRANSDUCED WITH LENTIVIRAL VECTORS ARE CLASSIFIED AS BIOSAFETY LEVEL 2 REAGENTS AND SHOULD BE USED UNDER THE APPROPRIATE BIOSAFETY LEVEL 2 REAGENTS AND SHOULD BE USED UNDER THE APPROPRIATE BIOSAFETY LEVEL 2 CONSTITUTE KNOWN PATHOGENIS AND THAT OTHER IMANIS MATERIALS DESIGNATED AS BIO-SAFETY LEVEL 2 CONSTITUTE KNOWN PATHOGENIS AND THAT OTHER IMANIS MATERIALS DESIGNATED AS BIO-SAFETY LEVEL 2 CONSTITUTE KNOWN PATHOGENIS ON DESIGNATION AND THAT DIVIDING, STORAGE, DISPOSAL, TRANSFER AND USE OF THE IMANIS MATERIALS INCLIDING WITHOUT LIMITATION TAKING ALL APPROPRIATE SAFETY AND HANDLING PRECAUTIONS TO MINIMIZE HEALTH OR ENVIRONMENTAL RISK PURCHASER AGREES THAT ANY ACTIVITY UNDERTAKEN WITH THE IMANIS MATERIALS INCLIDING WITHOUT LIMITATION TAKING ALL APPROPRIATE SAFETY AND HANDLING PRECAUTIONS TO MINIMIZE HEALTH OR ENVIRONMENTAL RISK PURCHASER AGREES THAT ANY ACTIVITY UNDERTAKEN WITH THE IMANIS MATERIALS INCLIDING WITHOUT LIMITATION THAN ASSISTANCE PROVIDED BY IMANIS ARE PROVIDED AS IS, WITHOUT WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLIDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, MANUFACTURE ACCORDING TO COMP STANDARDS, TYPICALITY, SAFETY, ACCURACY AND NON-INFRINGEMENT. IN NO EVENT SHALL IMANIS, ITS PARENTS, SUBSIDIARIES DIRECTORS, OR A PARTICULAR PURPOSE, ASSIGNS, SUCCESSORS AND AFFILIATE (COLLECTIVELY "IMANIS INDEMNIFIED PARTIES") BE LIBBLE FOR MIDIRECT, SPECIAL, INCIDIENTAL OR CONSCIUNTAL LAMIS, ITS PARENTS, SUBSIDIARIES DIRECTORS, OF A PARTICULAR PURPOSE, ASSIGNS, SUCCESSORS AND AFFILIATE (COLLECTIVELY "IMANIS INDEMNIFIED PARTIES") BE LIBBLE FOR MIDIRECT, SPECIAL, INCIDIENTAL OR CONSCIUNTAL LAMIS, INTO PART ON FOR PARTICULAR PURPOSE. ASSIGNS, SUCCESSORS ON SOME AFFILIATE (COLLECTIVELY "IMANIS INDEMNIFIED PARTIES") BE LIBBLE FOR MIDIRECT, SPECIAL, INCIDIENTAL OR CONSCIUNTAL LAMIS INCUMINATIVE LIBBLE FOR MIDIRECT, SPECIAL, INCIDIENTAL OR CONSCIUNTAL LAMIS INCUMINATIVE LIBBLE FOR DIRECTORS

Quality control by: RLV Quality Assurance by: LS Effective Date: 29-Jan-2021