

# **Product Description**

Product Name:	PC3- eGFP-Neo/Fluc-Puro
Catalog Number:	CL125
Lot Number:	CL-IM189

Species: Cell type: Parental cells: Morphology: Growth mode:	Human ( <i>Homo sapiens</i> ) Prostate PC3 (ATCC® CRL-1435 <sup>™</sup> )* Epithelial Adherent
Reporter gene:	Firefly luciferase (Fluc)
Selection gene:	Enhanced green fluorescent protein (eGFP) Puromycin (Puro) Neomycin (Neo)

This is a polyclonal population derived from the prostate PC3 cell line (ATCC<sup>®</sup> CRL-1435<sup>™</sup>). Parental PC3 cells were transduced with 1) LV-eGFP-P2A-Neo (Imanis #LV067) encoding the enhanced green fluorescent protein (eGFP) cDNA under the spleen focus-forming virus (SFFV) promoter linked to the neomycin resistance gene (Neo) via a P2A cleavage peptide and 2) LV-Fluc-P2A-Puro (Imanis #LV012) encoding the firefly luciferase (Fluc) cDNA under the spleen focus-forming virus (SFFV) promoter linked to the puromycin resistance gene (Puro) via a P2A cleavage peptide. High Fluc and eGFP expressing cells were selected using G418 and puromycin, respectively. The lentiviral vectors are self-inactivating (SIN) vectors in which the viral enhancer and promoter have been deleted. Transcription inactivation of the LTR in the SIN provirus increases biosafety by preventing mobilization by replication competent viruses and enables regulated expression of the genes from the internal promoters without *cis*-acting effects of the LTR<sup>1</sup>.

\* The ATCC trademark and any and all ATCC catalog numbers are trademarks of the American Type Culture Collection

# **Mycoplasma Testing**

This cell line has tested negative for mycoplasma contamination.

# **Cell Line Authentication**

Authentication of the parental PC3 cell line was confirmed by short tandem repeat (STR) profiling.

# **Recommended Uses**

These cells are suitable for *in vitro* and *in vivo* experimentation.

The Fluc transgene facilitates *in vivo* noninvasive bioluminescent imaging of implanted cells. eGFP is not recommended for whole animal in-live imaging. Rather, samples can be collected post mortem for analysis by conventional fluorescence microscopy.

Fluc and eGFP are immunogenic and may cause tumor rejection in immunocompetent mice. For the most consistent results, immunocompromised mice are recommended for studies.

# References

<sup>1</sup>Miyoshi et al. J Virol. 1998. 72:8150-8157.

## Storage Instructions

Remove cells from the dry ice packaging and immediately store in the vapor phase above liquid nitrogen (below -130°C).

# **Complete Growth Medium**

Dulbecco's Modifies Eagles Media (DMEM) 10% fetal bovine serum (FBS) 1% Penicillin/Streptomycin 0.5 mg/mL G418 3 µg/mL puromycin

G418 and puromycin should  $\underline{\text{NOT}}$  be added to the medium until a culture has been well established from the thawed cells (about 1 week). It is also recommended that a backup frozen cell stock be generated (see below) before adding G418 and puromycin to the growth medium.

Caution! Typical commercial puromycin stocks are provided at a concentration of 10 mg/mL or 10,000X.

# **Thawing Instructions**

- 1. Thaw cells by gently swirling in a 37°C water bath. To limit contamination, do not submerge the O-ring and cap.
- 2. When cells are ~70% thawed (~1 min), remove the vial and wipe down with 70% ethanol. Allow tube to dry completely.
- 3. In a biosafety cabinet, transfer the cells into a 15 mL conical tube containing 5 mL of complete growth medium. Centrifuge cells at ~250 x g for 3-5 min.
- Remove supernatant and resuspend cells in 1 mL complete growth medium. Transfer cells to a T75 flask containing 10 mL complete growth medium.
- Incubate the culture at 37°C with 5% CO<sub>2</sub>. Cells should reach full confluency 2-3 days after thawing.

# **Subculturing Instructions**

Volumes are given for a T75 flask. Increase or decrease as needed.

- 1. Remove culture medium from cells.
- 2. Carefully wash the cell monolayer with 5-10 mL of phosphate buffered saline.
- 3. Add 2 mL of 0.25% Trypsin-EDTA solution to the flask and incubate at room temperature until cells have dissociated (approx. 2-5 min).
- 4. Neutralize the trypsin by adding 8 mL complete growth medium, and mix by gently pipetting up and down.
- Transfer desired portion of the cells to a fresh T75 flask. Add fresh complete growth medium to a total volume of 10 mL and return cells to 37°C/5% CO<sub>2</sub> incubator.

For maintenance, a subcultivation ratio of 1:3 is recommended. At this ratio cells will be ready for passage approximately every 3-4 days.

# **Freezing Medium**

Cells can be amplified and used to generate additional frozen stocks. Frozen stocks should be preserved in a designated cryopreservation medium or in complete growth medium <u>without</u> <u>G418 and puromycin</u> supplemented with 5-10% DMSO.

# PC3-eGFP-Neo/Fluc-Puro




## **Certificate of Analysis**

Testing performed by Imanis Life Sciences

Test description	Result
Post thaw viable cell recovery	95% viability
Sterility	No contamination detected
Mycoplasma	Negative
G418 selection	Pass QC
Puromycin selection	Pass QC
Fluc expression	Pass QC
eGFP expression	Pass QC
Average doubling time	27.8h*


\*Doubling time represents the average doubling time during logarithmic growth. This value should be used for general estimation only.

## Morphology:




Photos taken at 200X, at 72h after thawing

### Fluorescence Expression:



#### PC3-Fluc-Puro/eGFP-Neo (green) or isotype control (PC3 Parental; grey) cells were fixed with paraformaldehyde and analyzed by flow cytometry.

### Luciferase Expression:



The indicated number of cells were placed in wells of a 96-well plate. After the addition of 3 mg/mL d-luciferin, the plate was immediately imaged using a Xenogen IVIS Spectrum. The total flux (photons/sec) was plotted as a function of cell number.

### Legal Disclaimers

### LIMITED PRODUCT WARRANTY

THIS WARRANTY LIMITS OUR LIABILITY TO REPLACEMENT OF THIS PRODUCT. NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTRABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE PROVIDED BY IMANIS, IMANIS SHALL HAVE NO LIABILITY FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, OR INCIDENTAL DAMAGES ARISING OUT OF THE USE, THE RESULTS OF USE, OR THE INABILITY TO USE THIS PRODUCT.

FOR IN VITRO USE ONLY. THIS CERTIFICATE IS A DECLARATION OF ANALYSIS AT THE TIME OF MANUFACTURE

### PURCHASER NOTIFICATION

LIMITED LICENSE NOTICE - RESEARCH USE ONLY

IMANIS LIFE SCIENCES HAS A LIMTED LICENSE UNDER PATENTS OWNED BY THE SALK INSTITUTE FOR BIOLOGICAL STUDIES THAT PERMITS IMANIS LIFE SCIENCES TO SELL PRODUCTS CONTAINING WRE FOR RESEARCH USE ONLY AND NOT FOR ANY COMMERCIAL USES. EXCLUDED COMMERCIAL USES INCLUDE WITHATION MANUFACTURING, PROVIDING A SERVICE, THERAPEUTIC, DIAGNOSTIC AND PROPHYLACTIC USES, AND ANY OTHER COMMERCIAL USES. USE OF THIS PRODUCT BY A PURCHASER FOR ANY PURPOSE OTHER THAN FOR RESEARCH IS UNAUTHORIZED AND PROHIBITED.

THE SALK INSTITUTE ACTIVELY LICENSES ITS PATENTS FOR COMMERCIAL USES, AND A COMMERCIAL USE LICENSE MAY BE AVAILABLE FOR SALK'S WPRE PATENTS. IF YOU WISH TO INQUIRE ABOUT SUCH A LICENSE, PLEASE CONTACT:

Office of Technology Development The Salk Institute for Biological Studies 10010 North Torrey Pines Road La Jolla, CA 92037

Phone: (858) 453-4100 extension 1278 Fax: (858) 546-8093

Prome: (ass) 435-4100 extension 1278 Fax: (ass) 64-64033 THE IMANIS CELL LINES ARE NOT INTENDED FOR USE IN HUMANS. CELL LINES TRANSDUCED WITH LENTIVIRAL VECTORS ARE CLASSIFIED AS BIOSAFETY LEVEL 2 REAGENTS AND SHOULD BE USED UNDER THE APPROPRIATE BIOSAFETY LEVEL PER INSTITUTIONAL GUIDELINES. THE PURCHASER AGREES THAT IMANIS MATERIALS DESIGNATED AS BIO-SAFETY LEVEL 2 CONSTITUTE KNOWN PATHOGENS AND THAT OTHER IMANIS MATERIALS DESIGNATED AND ANY PROGENY OR MODIFICATION MAY BE PATHOGENS AND THAT OTHER IMANIS MATERIALS DESIGNATED AND ANY PROGENY OR MODIFICATION MAY BE PATHOGENS AND THAT OTHER IMANIS MATERIALS DESIGNATED AND ANY PROGENY OR MODIFICATION MAY BE PATHOGENIC UNDER CERTAIN CONDITIONS. PURCHASER ASSUMES ALL RISK AND RESPONSIBILITY IN CONNECTION WITH THE RECEIPT, HANDING, STORAGE, DISPOSAL, TRANSFER AND USE OF THE IMANIS MATERIALS AND ANY PROGENY OR MODIFICATION TAKING ALL APPROPRIATE SAFETY AND HANDLING PRECAUTIONS TO MINIMIZE HEALTH OR EGUILATION TAKING ALL APPROPRIATE SAFETY AND HANDLING PRECAUTIONS TO MINIMIZE HEALTH OR EGUILATIONS. THE IMANIS MATERIAL, ANY COTHER IMANIS PRODUCTS, AND ANY TECHNICAL INFORMATION AND ASSISTANCE PROVIDED BY IMANIS ARE PROVIDED 'AS IS', WITHOUT WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHARTABULITY, FITNESS FOR A PARTICULAR PURPOSE, MANUFACTURE ACCORDING TO GOMP STANDARDS, TYPICALITY, SAFETY, ACCURACY AND NON INCLUDING BUT NOT LIMITED TO ANY AFFILIATE (COLLECTIVELY 'MANIS INDEMNIFIED PARTIES') BE LIABLE FOR INFRINCEMENT. IN NO EVENT SHALL IMANIS, ITS PARENTS, SUBSIDIARIES, DIRECTORS, OFFICERS, ASSIGNS, SUCCESSORS AND AFFILIATE (COLLECTIVELY 'MANIS INDEMNIFIED PARTIES') BE LIABLE FOR INFRINCEMENT. IN NO CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH OR ARISING OUT OF THIS AGREEMENT (WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, STATUTE OR OTHERWISE) EVEN INDIRECT. SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH OR ARISING OUT OF THIS AGREEMENT (METHER

Quality control by: JDR Quality Assurance by: RLV Effective Date: 14-May-2019